## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S88	2211	distributed with packet (assembl\$3 or reassembl\$3 or re-assembl\$3) (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/04 17:03
S89	0	distributed with packet with (assembl\$3 or reassembl\$3 or re-assembl\$3) with final (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/04 17:13
<b>S</b> 90	91	idistributed with packet with (assembl\$3 or reassembl\$3 or re-assembl\$3) (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/04 17:13
S91	12	(distributed with packet with (assembl\$3 or reassembl\$3 or re-assembl\$3)).ti,ab. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/04 17:14
S92	8	"20020045435" or "7103025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/05 06:25
S93	0	(((distributed with (data or packet) with (assembl\$3 or re-assembl\$3 or re-assembl\$3) same (request\$3 or forward\$3) with (missing near3 (data or packet))) (@ad<*20040226" or @riad<*20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 07:29
S94	89	((((data or packet) with (assembl\$3) reassembl\$3) same (request\$3 or forward\$3) with (missing near3 (data or packet))) (@ad="20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 07:31
S95	89	(((data or packet) with (assembl\$3 or re-assembl\$3) or re-assembl\$3)) same ((request\$3 or forward\$3) with (missing near3 (data or packet)) (@ad<*20040226* or @riad<*20040226*)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 07:31

S96	О	(distributed with (data or packet) with (assembl§3 or reassembl§3 or reassembl§3 or reassembl§3)) same ((request§3 or forward\$3) with (missing near3 (data or packet))) (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 07:50
S97	265	((data or packet) with (assembl\$3 or reassembl\$3 or re-assembl\$3)) 370/394. ccls. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 08:42
S98	5	(((data or packet) with (assembl\$3 or reassembl\$3 or re-assembl\$3)) same gateway) 370/394.cds. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 08:49
S99	4	(((data or packet) with (reassembl\$3 or re-assembl \$3)) same gateway) 370/394. cols. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 08:50
S100	4	(((data or packet or message) with (reassembl\$3 or re-assembl\$3)) same gateway) 370/394.cds. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON STATE OF THE ST	2008/02/05 08:51
S101	4	(((data or packet or message or pdu) with (reassembl\$3 or re-assembl\$3)) same gateway) 370/394.cds. (@ad<"20040226" or @rlad<"20040226")	US-PGPUB; USPAT; EPO; JPO	AND	, ON	2008/02/05 09:08
S102	0	(((data or packet or message or pdu) with (reassembl§3 or re-assembl§3) same (redundan§3 with gateway)) 370/394.cds. (@ad = 20040226" or @rlad< "20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 09:12
S103	3	(((data or packet or message or pdu) with (reassembl\$3 or re-assembl\$3)) same (redundan\$3 with gateway)) (@ad<"20040226" or @rladx "20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 09:12

S104	15	(((data or packet or message or pdu) with (reassembls3 or re-assembls3 or reconstruc \$3)) same ((multiple or redundans3) with gateway)) (@adc "20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 09:14
S105	17	(((data or packet or message or pdu) with (reassembl§3 or re-assembl§3 or reconstruc §3)) same ((multiple or redundan§3 or distributed) with gateway)) (@ad. "20040226" or @rlad< "20040226")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/02/05 09:18

<sup>2/25/2008 9:12:59</sup> AM

C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10786003.wsp